Author Index

Adler, H.J., Poje, C.P. and Saunders, J.C.
Recovery of auditory function and structure in the chick after two intense pure tone exposures (71) 214
Altschuler, R.A., see El Barbary, A. (71) 80
Attias, J., Urbach, D., Gold, S. and Shemesh, Z.
Auditory event related potentials in chronic tinnitus patients with noise induced hearing loss (71) 106

Beecher, M.D., see Marean, G.C. (71) 125
Berlin, C.I., Hood, L.J., Wen, H., Szabo, P., Cecola, R.P., Rigby, P. and Jackson, D.F.
Contralateral suppression of non-linear click-evoked otoacoustic emissions (71) 1
Boettcher, F.A., Mills, J.H. and Norton, B.L.
Age-related changes in auditory evoked potentials of gerbils. I. Response amplitudes (71) 137
Boettcher, F.A., Mills, J.H., Norton, B.L. and Schmiedt, R.A.
Age-related changes in auditory evoked potentials of gerbils. II. Response latencies (71) 146
Bohne, B.A. and Harding, G.W.
Combined organ of Corti/modiolus technique for preparing mammalian cochleas for quantitative microscopy (71) 114
Burt, J.M., see Marean, G.C. (71) 125

Cecola, R.P., see Berlin, C.I. (71) 1
Clock, A.E., Salvi, R.J., Saunders, S.S. and Powers, N.L.
Neural correlates of temporal integration in the cochlear nucleus of the chinchilla (71) 37
Coleman, J.K.M., see McLaren, G.M. (71) 183
Corwin, J.T., see Warchol, M.E. (71) 28
Curtis, S., see Mulroy, M.J. (71) 98

Dempewolf, S.A., see Mulroy, M.J. (71) 98
Dengerink, H.A., see McLaren, G.M. (71) 183
Doi, K., see Kitano, I. (71) 23

El Barbary, A., Altschuler, R.A. and Schacht, J.
Glutathione S-transferases in the organ of Corti of the rat: Enzymatic activity, subunit composition and immunohistochemical localization (71) 80

Gleich, O. and Wilson, S.
The diameters of guinea pig auditory nerve fibres: Distribution and correlation with spontaneous rate (71) 69
Gold, S., see Attias, J. (71) 106

Harding, G.W., see Bohne, B.A. (71) 114
Hisashi, K., see Kimitsuki, T. (71) 64
Hood, L.J., see Berlin, C.I. (71) 1

Iida, H.C., see Mulroy, M.J. (71) 98
Ito, M., Spicer, S.S. and Schulte, B.A.
Immunohistochemical localization of brain type glucose transporter in mammalian inner ears: Comparison of developmental and adult stages (71) 230

Jackson, D.F., see Berlin, C.I. (71) 1

Keijzer, J., see Prijs, V.F. (71) 190
Kimitsuki, T., Nakagawa, T., Hisashi, K., Komune, S. and Komiyama, S.
Cisplatin blocks mechano-electric transducer current in chick cochlear hair cells (71) 64
Kitano, I., Doi, K., Mori, N. and Matsunaga, T.
Involvement of Cl^- transport in forskolin-induced elevation of endocochlear potential (71) 23
Komiyama, S., see Kimitsuki, T. (71) 64
Komune, S., see Kimitsuki, T. (71) 64
Köppl, C. and Manley, G.A.
Spontaneous otoacoustic emissions in the bobtail lizard. I: General characteristics (71) 157

Laurikainen, E., see McLaren, G.M. (71) 183
Long, G.R., see Talmadge, C.L. (71) 170

Manley, G.A., see Köppl, C. (71) 157
Marean, G.C., Burt, J.M., Beecher, M.D. and Rubel, E.W.
Hair cell regeneration in the European starling (*Sturnus vulgaris*): Recovery of pure-tone detection thresholds (71) 125
Markovitz, N.S. and Pollak, G.D.
The dorsal nucleus of the lateral lemniscus in the mustache bat: Monaural properties (71) 51
Matsunaga, T., see Kitano, I. (71) 23
McFadden, D. and Mishra, R.
On the relation between hearing sensitivity and otoacoustic emissions (71) 208
McLaren, G.M., Quirk, W.S., Laurikainen, E., Coleman, J.K.M., Seidman, M.D., Dengerink, H.A., Nuttall, A.L., Miller, J.M. and Wright, J.W.
Substance P increases cochlear blood flow without changing cochlear electrophysiology in rats (71) 183
Miller, J.M., see McLaren, G.M. (71) 183
Miller, J.M., see Ren, T. (71) 91
Mills, J.H., see Boettcher, F.A. (71) 137
Mills, J.H., see Boettcher, F.A. (71) 146
Mishra, R., see McFadden, D. (71) 208
Mori, N., see Kitano, I. (71) 23
Morris, C., see Whitworth, C. (71) 202
Mulroy, M.J., Dempewolf, S.A., Curtis, S. and Iida, H.C.
Gap junctional connections between hair cells, supporting cells and nerves in a vestibular organ (71) 98
Murphy, W.J., see Talmadge, C.L. (71) 170

Nakagawa, T., see Kimitsuki, T. (71) 64
Nielsen, L.H., see Popelka, G.R. (71) 12
Norton, B.L., see Boettcher, F.A. (71) 137
Norton, B.L., see Boettcher, F.A. (71) 146
Nuttall, A.L., see McLaren, G.M. (71) 183
Nuttall, A.L., see Ren, T. (71) 91

Osterhammel, P.A., see Popelka, G.R. (71) 12

Pickles, J.O.
An analysis of actin isoforms expressed in hair-cell enriched fractions of the chick basilar papilla by the polymerase chain reaction technique (71) 225

Poje, C.P., see Adler, H.J. (71) 214
Pollak, G.D., see Markovitz, N.S. (71) 51
Popelka, G.R., Osterhammel, P.A., Nielsen, L.H. and Rasmussen, A.N.
Growth of distortion product otoacoustic emissions with primary-tone level in humans (71) 12
Powers, N.L., see Clock, A.E. (71) 37
Prijs, V.F., Keijzer, J., Versnel, H. and Schoonhoven, R.
Recovery characteristics of auditory nerve fibres in the normal and noise-damaged guinea pig cochlea (71) 190

Quirk, W.S., see McLaren, G.M. (71) 183

Rasmussen, A.N., see Popelka, G.R. (71) 12
Ren, T., Nuttall, A.L. and Miller, J.M.
Contribution of the anterior inferior cerebellar artery to cochlear blood flow in guinea pig: A model-based analysis (71) 91
Rigby, P., see Berlin, C.I. (71) 1
Rubel, E.W., see Marean, G.C. (71) 125
Rybak, L.P., see Whitworth, C. (71) 202

Salvi, R.J., see Clock, A.E. (71) 37
Saunders, J.C., see Adler, H.J. (71) 214
Saunders, S.S., see Clock, A.E. (71) 37
Schacht, J., see El Barbary, A. (71) 80
Schmiedt, R.A., see Boettcher, F.A. (71) 146
Schoonhoven, R., see Prijs, V.F. (71) 190
Schulte, B.A., see Ito, M. (71) 230
Scott, V., see Whitworth, C. (71) 202
Seidman, M.D., see McLaren, G.M. (71) 183
Shemesh, Z., see Attias, J. (71) 106
Spicer, S.S., see Ito, M. (71) 230
Szabo, P., see Berlin, C.I. (71) 1

Talmadge, C.L., Long, G.R., Murphy, W.J. and Tubis, A.
New off-line method for detecting spontaneous otoacoustic emissions in human subjects (71) 170
Tubis, A., see Talmadge, C.L. (71) 170

Urbach, D., see Attias, J. (71) 106

Versnel, H., see Prijs, V.F. (71) 190

Warchol, M.E. and Corwin, J.T.
Supporting cells in avian vestibular organs proliferate in serum-free culture (71) 28
Wen, H., see Berlin, C.I. (71) 1
Whitworth, C., Morris, C., Scott, V. and Rybak, L.P.
Dose-response relationships for furosemide ototoxicity in rat (71) 202
Wilson, S., see Gleich, O. (71) 69
Wright, J.W., see McLaren, G.M. (71) 183

Subject Index

Actin
Stereocilia; PCR; mRNA; Chick (Pickles, J.O. (71) 225)

Adenylate cyclase
Cl^- transport; cAMP-activated Cl^- channel; Forskolin; Endocochlear potential (Kitano, I. (71) 23)

Aging
Auditory brainstem response; Evoked potentials; Presbycusis (Boettcher, F.A. (71) 137)

Auditory brainstem response; Evoked potentials; Presbycusis (Boettcher, F.A. (71) 146)

Albumin
Endocochlear potential; Compound action potential (Whitworth, C. (71) 202)

Alligator lizard
Intercellular communication; Crista ampullaris of semicircular duct (Mulroy, M.J. (71) 98)

cAMP-activated Cl^- channel
Cl^- transport; Forskolin; Adenylate cyclase; Endocochlear potential (Kitano, I. (71) 23)

Auditory brainstem response
Aging; Evoked potentials; Presbycusis (Boettcher, F.A. (71) 137)

Aging; Evoked potentials; Presbycusis (Boettcher, F.A. (71) 146)

Auditory evoked potentials
Tinnitus; NIHL; P3; Cognitive processes (Attias, J. (71) 106)

Auditory function
Threshold shift; Evoked potentials; Tectorial membrane; Chicks; Hearing loss (Adler, H.J. (71) 214)

Auditory nerve fibres
Recovery function; Guinea pig; Noise-induced cochlear damage; Spontaneous activity (Prijs, V.F. (71) 190)

Auditory physiology
Dorsal nucleus of the lateral lemniscus; Monaural responses; Temporal response patterns; Choppers; Mustache bat (Markovitz, N.S. (71) 51)

Auditory sensitivity
Spontaneous otoacoustic emissions; Sex differences; Ear differences (McFadden, D. (71) 208)

Autoregulation
Microcirculation; Inner ear; Hemodynamics; Laser Doppler flowmetry (Ren, T. (71) 91)

Avian
Regeneration; Function; Behavior; Thresholds; Starling (Marean, G.C. (71) 125)

Basal body
Glutathione S-transferases; Hair cells; Microtubule; Detoxification; Western blot; Deiters cells (El Barbary, A. (71) 80)

Basilar membrane
Spontaneous otoacoustic emissions; Gender (Talmadge, C.L. (71) 170)

Basilar papilla
Cochlea; SOAE; Otoacoustic emissions; Lizard (Köppl, C. (71) 157)

Behavior
Regeneration; Function; Thresholds; Avian; Starling (Marean, G.C. (71) 125)

Blood-perilymph barrier
Inner ear; Glucose transporter; Immunohistochemistry (Ito, M. (71) 230)

Blood pressure
Cochlear blood flow; Cochlear action potential; Cochlear microphonics; Laser doppler flowmeter; Substance P; Rat (McLaren, G.M. (71) 183)

Cell proliferation
Hair Cells; Saccule; Utricle; Development; Regeneration (Warchol, M.E. (71) 28)

Chick
Actin; Stereocilia; PCR; mRNA (Pickles, J.O. (71) 225)

Chicks
Threshold shift; Evoked potentials; Tectorial membrane; Hearing loss; Auditory function (Adler, H.J. (71) 214)

Chinchilla
Temporal integration; Cochlear nucleus; Single unit; Two-alternative forced-choice (Clock, A.E. (71) 37)

Choppers
Dorsal nucleus of the lateral lemniscus; Auditory physiology; Monaural responses; Temporal response patterns; Mustache bat (Markovitz, N.S. (71) 51)

Cisplatin
Hair cell; Mechano-electric transduction channel; Patch clamp technique; Ototoxicity (Kimitsuki, T. (71) 64)

Cl^- transport
cAMP-activated Cl^- channel; Forskolin; Adenylate cyclase; Endocochlear potential (Kitano, I. (71) 23)

Cochlea
Hearing; Horseradish peroxidase; Single cell labelling; Video image analysis (Gleich, O. (71) 69)

SOAE; Otoacoustic emissions; Basilar papilla; Lizard (Köppl, C. (71) 157)

Cochlear action potential
Cochlear blood flow; Blood pressure; Cochlear microphonics; Laser doppler flowmeter; Substance P; Rat (McLaren, G.M. (71) 183)

Cochlear blood flow
Blood pressure; Cochlear action potential; Cochlear microphonics; Laser doppler flowmeter; Substance P; Rat (McLaren, G.M. (71) 183)

Cochlear fixation and dissection
Whole mounts; Plastic-embedding; Durcupan (Bohne, B.A. (71) 114)

Cochlear microphonics
Cochlear blood flow; Blood pressure; Cochlear action potential; Laser doppler flowmeter; Substance P; Rat (McLaren, G.M. (71) 183)

Cochlear nucleus
Temporal integration; Single unit; Chinchilla; Two-alternative forced-choice (Clock, A.E. (71) 37)

Cognitive processes
Tinnitus; NIHL; Auditory evoked potentials; P3 (Attias, J. (71) 106)

Compound action potential
Endocochlear potential; Albumin (Whitworth, C. (71) 202)

Contralateral suppression
Otoacoustic emissions; Efferent system; Non-linear clicks; Humans; RMS amplitude; Time-shift; Echoes (Berlin, C.I. (71) 1)

Crista ampullaris of semicircular duct
Intercellular communication; Alligator lizard (Mulroy, M.J. (71) 98)

Deiters cells
Glutathione S-transferases; Hair cells; Basal body; Microtubule; Detoxification; Western blot (El Barbary, A. (71) 80)

Detoxification
Glutathione S-transferases; Hair cells; Basal body; Microtubule; Western blot; Deiters cells (El Barbary, A. (71) 80)

Development
Hair Cells; Saccule; Utricle; Regeneration; Cell proliferation (Warchol, M.E. (71) 28)

Distortion products
Otoacoustic emissions; Metabolically active; Nonlinear cochlear processes (Popelka, G.R. (71) 12)

Dorsal nucleus of the lateral lemniscus
Auditory physiology; Monaural responses; Temporal response patterns; Choppers; Mustache bat (Markovitz, N.S. (71) 51)

Durcupan
Cochlear fixation and dissection; Whole mounts; Plastic-embedding (Bohne, B.A. (71) 114)

Ear differences
Auditory sensitivity; Spontaneous otoacoustic emissions; Sex differences (McFadden, D. (71) 208)

Echoes
Otoacoustic emissions; Contralateral suppression; Efferent system; Non-linear clicks; Humans; RMS amplitude; Time-shift (Berlin, C.I. (71) 1)

Efferent system
Otoacoustic emissions; Contralateral suppression; Non-linear clicks; Humans; RMS amplitude; Time-shift; Echoes (Berlin, C.I. (71) 1)

Endocochlear potential
Cl^- transport; cAMP-activated Cl^- channel; Forskolin; Adenylate cyclase (Kitano, I. (71) 23)

Compound action potential; Albumin (Whitworth, C. (71) 202)

Evoked potentials
Aging; Auditory brainstem response; Presbycusis (Boettcher, F.A. (71) 137)

Aging; Auditory brainstem response; Presbycusis (Boettcher, F.A. (71) 146)

Threshold shift; Tectorial membrane; Chicks; Hearing loss; Auditory function (Adler, H.J. (71) 214)

Forskolin
Cl^- transport; cAMP-activated Cl^- channel; Adenylate cyclase; Endocochlear potential (Kitano, I. (71) 23)

Function
Regeneration; Behavior; Thresholds; Avian; Starling (Marean, G.C. (71) 125)

Gender
Spontaneous otoacoustic emissions; Basilar membrane (Talmadge, C.L. (71) 170)

Glucose transporter
Inner ear; Blood-perilymph barrier; Immunohistochemistry (Ito, M. (71) 230)

Glutathione S-transferases
Hair cells; Basal body; Microtubule; Detoxification; Western blot; Deiters cells (El Barbary, A. (71) 80)

Guinea pig
Recovery function; Noise-induced cochlear damage; Spontaneous activity; Auditory nerve fibres (Prijs, V.F. (71) 190)

Hair cell
Cisplatin; Mechano-electric transduction channel; Patch clamp technique; Ototoxicity (Kimitsuki, T. (71) 64)

Hair Cells
Saccule; Utricle; Development; Regeneration; Cell proliferation (Warchol, M.E. (71) 28)

Hair cells
Glutathione S-transferases; Basal body; Microtubule; Detoxification; Western blot; Deiters cells (El Barbary, A. (71) 80)

Hearing
Cochlea; Horseradish peroxidase; Single cell labelling; Video image analysis (Gleich, O. (71) 69)

Hearing loss
Threshold shift; Evoked potentials; Tectorial membrane; Chicks; Auditory function (Adler, H.J. (71) 214)

Hemodynamics
Microcirculation; Inner ear; Autoregulation; Laser Doppler flowmetry (Ren, T. (71) 91)

Horseradish peroxidase
Hearing; Cochlea; Single cell labelling; Video image analysis (Gleich, O. (71) 69)

Humans
Otoacoustic emissions; Contralateral suppression; Efferent system; Non-linear clicks; RMS amplitude; Time-shift; Echoes (Berlin, C.I. (71) 1)

Immunohistochemistry
Inner ear; Glucose transporter; Blood-perilymph barrier (Ito, M. (71) 230)

Inner ear
Microcirculation; Hemodynamics; Autoregulation; Laser Doppler flowmetry (Ren, T. (71) 91)

Glucose transporter; Blood-perilymph barrier; Immunohistochemistry (Ito, M. (71) 230)

Intercellular communication
Crista ampullaris of semicircular duct; Alligator lizard (Mulroy, M.J. (71) 98)

Laser doppler flowmeter
Cochlear blood flow; Blood pressure; Cochlear action potential; Cochlear microphonics; Substance P; Rat (McLaren, G.M. (71) 183)

Laser Doppler flowmetry
Microcirculation; Inner ear; Hemodynamics; Autoregulation (Ren, T. (71) 91)

Lizard
Cochlea; SOAE; Otoacoustic emissions; Basilar papilla (Köppl, C. (71) 157)

Mechano-electric transduction channel
Hair cell; Cisplatin; Patch clamp technique; Ototoxicity (Kimitsuki, T. (71) 64)

Metabolically active
Otoacoustic emissions; Distortion products; Nonlinear cochlear processes (Popelka, G.R. (71) 12)

Microcirculation
Inner ear; Hemodynamics; Autoregulation; Laser Doppler flowmetry (Ren, T. (71) 91)

Microtubule
Glutathione S-transferases; Hair cells; Basal body; Detoxification; Western blot; Deiters cells (El Barbary, A. (71) 80)

Monaural responses
Dorsal nucleus of the lateral lemniscus; Auditory physiology; Temporal response patterns; Choppers; Mustache bat (Markovitz, N.S. (71) 51)

Mustache bat
Dorsal nucleus of the lateral lemniscus; Auditory physiology; Monaural responses; Temporal response patterns; Choppers (Markovitz, N.S. (71) 51)

NIHL
Tinnitus; Auditory evoked potentials; P3; Cognitive processes (Attias, J. (71) 106)

Noise-induced cochlear damage
Recovery function; Guinea pig; Spontaneous activity; Auditory nerve fibres (Prijs, V.F. (71) 190)

Non-linear clicks
Otoacoustic emissions; Contralateral suppression; Efferent system; Humans; RMS amplitude; Time-shift; Echoes (Berlin, C.I. (71) 1)

Nonlinear cochlear processes
Otoacoustic emissions; Distortion products; Metabolically active (Popelka, G.R. (71) 12)

Otoacoustic emissions
Contralateral suppression; Efferent system; Non-linear clicks; Humans; RMS amplitude; Time-shift; Echoes (Berlin, C.I. (71) 1)

Distortion products; Metabolically active; Nonlinear cochlear processes (Popelka, G.R. (71) 12)

Cochlea; SOAE; Basilar papilla; Lizard (Köppl, C. (71) 157)

Ototoxicity
Hair cell; Cisplatin; Mechano-electric transduction channel; Patch clamp technique (Kimitsuki, T. (71) 64)

P3
Tinnitus; NIHL; Auditory evoked potentials; Cognitive processes (Attias, J. (71) 106)

Patch clamp technique
Hair cell; Cisplatin; Mechano-electric transduction channel; Ototoxicity (Kimitsuki, T. (71) 64)

PCR
Actin; Stereocilia; mRNA; Chick (Pickles, J.O. (71) 225)

Plastic-embedding
Cochlear fixation and dissection; Whole mounts; Durcupan (Bohne, B.A. (71) 114)

Presbycusis
Aging; Auditory brainstem response; Evoked potentials (Boettcher, F.A. (71) 137)

Aging; Auditory brainstem response; Evoked potentials (Boettcher, F.A. (71) 146)

Rat
Cochlear blood flow; Blood pressure; Cochlear action potential; Cochlear microphonics; Laser doppler flowmeter; Substance P (McLaren, G.M. (71) 183)

Recovery function
Guinea pig; Noise-induced cochlear damage; Spontaneous activity; Auditory nerve fibres (Prijs, V.F. (71) 190)

Regeneration
Hair Cells; Saccule; Utricle; Development; Cell proliferation (Warchol, M.E. (71) 28)

Function; Behavior; Thresholds; Avian; Starling (Marean, G.C. (71) 125)

RMS amplitude
Otoacoustic emissions; Contralateral suppression; Efferent system; Non-linear clicks; Humans; Time-shift; Echoes (Berlin, C.I. (71) 1)

mRNA
Actin; Stereocilia; PCR; Chick (Pickles, J.O. (71) 225)

Saccule
Hair Cells; Utricle; Development; Regeneration; Cell proliferation (Warchol, M.E. (71) 28)

Sex differences
Auditory sensitivity; Spontaneous otoacoustic emissions; Ear differences (McFadden, D. (71) 208)

Single cell labelling
Hearing; Cochlea; Horseradish peroxidase; Video image analysis (Gleich, O. (71) 69)

Single unit
Temporal integration; Cochlear nucleus; Chinchilla; Two-alternative forced-choice (Clock, A.E. (71) 37)

SOAE
Cochlea; Otoacoustic emissions; Basilar papilla; Lizard (Köppl, C. (71) 157)

Spontaneous activity
Recovery function; Guinea pig; Noise-induced cochlear damage; Auditory nerve fibres (Prijs, V.F. (71) 190)

Spontaneous otoacoustic emissions
Gender; Basilar membrane (Talmadge, C.L. (71) 170)

Auditory sensitivity; Sex differences; Ear differences (McFadden, D. (71) 208)

Starling
Regeneration; Function; Behavior; Thresholds; Avian (Marean, G.C. (71) 125)

Stereocilia
Actin; PCR; mRNA; Chick (Pickles, J.O. (71) 225)

Substance P
Cochlear blood flow; Blood pressure; Cochlear action potential; Cochlear microphonics; Laser doppler flowmeter; Rat (McLaren, G.M. (71) 183)

Tectorial membrane
Threshold shift; Evoked potentials; Chicks; Hearing loss; Auditory function (Adler, H.J. (71) 214)

Temporal integration
Cochlear nucleus; Single unit; Chinchilla; Two-alternative forced-choice (Clock, A.E. (71) 37)

Temporal response patterns
Dorsal nucleus of the lateral lemniscus; Auditory physiology; Monaural responses; Choppers; Mustache bat (Markovitz, N.S. (71) 51)

Thresholds
Regeneration; Function; Behavior; Avian; Starling (Marean, G.C. (71) 125)

Threshold shift
Evoked potentials; Tectorial membrane; Chicks; Hearing loss; Auditory function (Adler, H.J. (71) 214)

Time-shift
Otoacoustic emissions; Contralateral suppression; Efferent system; Non-linear clicks; Humans; RMS amplitude; Echoes (Berlin, C.I. (71) 1)

Tinnitus
NIHL; Auditory evoked potentials; P3; Cognitive processes (Attias, J. (71) 106)

Two-alternative forced-choice
Temporal integration; Cochlear nucleus; Single unit; Chinchilla (Clock, A.E. (71) 37)

Utricle
Hair Cells; Saccule; Development; Regeneration; Cell proliferation (Warchol, M.E. (71) 28)

Video image analysis
Hearing; Cochlea; Horseradish peroxidase; Single cell labelling (Gleich, O. (71) 69)

Western blot
Glutathione S-transferases; Hair cells; Basal body; Microtubule; Detoxification; Deiters cells (El Barbary, A. (71) 80)

Whole mounts
Cochlear fixation and dissection; Plastic-embedding; Durcupan (Bohne, B.A. (71) 114)